JOURNAL OF ASSISTED REPRODUCTION AND GENETICS

Official Publication of ALPHA, Scientists in Reproductive Medicine

Volume 21, 2004

Formerly *Journal of in Vitro Fertilization and Embryo Transfer*

Journal of Assisted Reproduction and Genetics publishes original peer-reviewed papers on assisted reproductive technologies and early genetics in all areas of the human as well as animal experience. The utilization of genetic diagnosis in conjunction with assisted reproductive technologies is emphasized. (A detailed description of the journal's scope is included in the Instructions to Authors.)

JOURNAL OF ASSISTED REPRODUCTION AND GENETICS (ISSN: 1058-0468) is published monthly by Springer, P. O. Box 322, 3300 AH Dordrecht, The Netherlands. Annual subscription price $1044.00. Air freight and mailing by Expediting, Inc., 200 Meacham Avenue, Elmont, N.Y. 11003. Periodicals postage paid at Jamaica, N.Y. 11431.

Journal of Assisted Reproduction and Genetics is abstracted or indexed in Biological Abstracts, CAB Abstracts, Current Contents/Clinical Medicine, EMBASE/Excerpta Medica, Index Medicus/MEDLINE, Medical Documentation Service, Science Citation Index Expanded, SCOPUS, and The ISI Alerting Services.

Advertising inquiries should be addressed to Springer, Advertising Dept., 233 Spring St., New York N.Y. 10013—tel:(212) 460-1572; fax:(212) 647-1898; e-mail: advertising@springer-sbm.com

© 2004 Springer Science+Business Media, Inc. No part of this work may be reproduced, stored in a retrieval system, or transmitted in any form or by any means, electronic, mechanical, photocopying, microfilming, recording, or otherwise, without written permission from the Publisher, with the exception of any material supplied specifically for the purpose of being entered and executed on a computer system, for exclusive use by the purchaser of the work. *Journal of Assisted Reproduction and Genetics* participates in the Copyright Clearance Center (CCC) Transactional Reporting Service. The appearance of a code line at the bottom of the first page of an article in this journal indicates the copyright owner's consent that copies of the article may be made for personal or internal use. However, this consent is given on the condition that the copier pay a flat fee per copy per article (no additional per-page fees) directly to the Copyright Clearance Center, Inc., 222 Rosewood Drive, Danvers, Massachusetts 01923 (www.copyright.com), for all copying not explicitly permitted by Sections 107 or 108 of the U.S. copyright Law. The CCC is a nonprofit clearinghouse for the payment of photocopying fees by libraries and other users registered with the CCC. Therefore, this consent does not extend to other kinds of copying, such as copying for general distribution, for advertising or promotional purposes, for creating new collective works, or for resale, nor to the reprinting of figures, tables, and text excerpts. 1058-0468/04

Subscription inquiries and subscription orders should be addressed to the publisher as follows: For all countries (including subscription agents in North and Latin America): Springer, Journals Department—Distribution Centre, PO Box 322, 3300 AH Dordrecht, The Netherlands; tel: 31 78 657 6000; fax: 31 78 657 6474; e-mail: orderdept@wkap.nl. For "non-trade" customers only in North, South, and Central America: Springer, Journals Department, 101 Philip Drive, Assinippi Park, Norwell, MA 02061, USA; tel: 1 781 871 6600; fax: 1 781 681 9045; e-mail: kluwer@wkap.com. Subscription rates: Volume 21, 2004 (12 issues): Print **or** electronic, EUR 1042.00/USD 1044.00/GBP 651.00. Print and electronic, EUR 1250.40/USD 1252.80/GBP 781.20. Individual subscribers certifying that the journal is for their personal use (print only): EUR 160.00/USD 160.00/GBP 108.00. For more information about our 2004 journal access and pricing policies, visit www.kluweronline.com.

U.S. POSTMASTER: Send address changes to *Journal of Assisted Reproduction and Genetics*, Springer, 233 Spring Street, New York, N.Y. 10013-1578.

EDITOR-IN-CHIEF

NORBERT GLEICHER, Chicago, Illinois

EDITORS—CLINICAL TRIALS

DAVID BARAD, New York, New York
MICHAEL SNABES, Chicago, Illinois

ASSOCIATE EDITORS

YONA BARAK, Herzliya on the Sea, Israel (ALPHA)
JEAN COHEN, Paris, France
NERI LAUFER, Jerusalem, Israel
ALEXANDER LOPATA, Victoria, Australia
SHLOMO MASHIACH, Tel Aviv, Israel
YVES MENEZO, Bron, France (ALPHA)
ZEV ROSENWAKS, New York, New York
JOSEPH G. SCHENKER, Jerusalem, Israel

EDITORIAL BOARD

GAUTAM N. ALLAHBADIA, Mumbai, India
KOJI AOKI, Nagoya, Japan
BARRY BEHR, Stanford, California (ALPHA)
ZION BEN-RAFAEL, Ramat Hasharon, Israel
MONTSE BOADA, Barcelona, Spain (ALPHA)
GERARD CHAOUAT, Clamart, France
DAVID A. CLARK, Hamilton, Ontario, Canada
EDMOND CONFINO, Chicago, Illinois
PIERGIORGIO CROSIGNANI, Milan, Italy
SALIM DAYA, Hamilton, Ontario, Canada
DOMINIQUE DE ZIEGLER, Nyon, Switzerland
KLAUS DIEDRICH, Lubeck, Germany
WILFRIED FEICHTINGER, Vienna, Austria
SIMON FISHEL, Nottingham, England
VICTOR GOMEL,Vancouver, British Columbia, Canada
LINDA GREGORY, Cardiff, Wales, UK (ALPHA)
LARS HAMBERGER, Gothenburg, Sweden
PAK CHUNG HO, Hong Kong, China
MARK HUGHES, Detroit, Michigan
KARL ILLMENSEE, Innsbruck, Austria
HARUMI KUBO, Tokyo, Japan
ALYCE KATAYAMA, Milwaukee, Wisconsin
DAVID R. MELDRUM, Redondo Beach, California
SHIN-YONG MOON, Seoul, South Korea
TAKAHIDE MORI, Kyoto, Japan
YOSHIHARU MORIMOTO, Osaka, Japan
PIETRO M. MOTTA, Rome, Italy
YOICHI NODA, Shiga, Japan
GIANPIERO D. PALERMO, New York, New York
RICHARD J. PAULSON, Los Angeles, California
ANTONIO PELLICER, Valencia, Spain
RICHARD RAWLINS, Chicago, Illinois
FRANCISCO RISQUEZ, Caracas, Venezuela
DENNY SAKKAS, New Haven, Connecticut (ALPHA)
MARKKU SEPPÄLÄ, Helsinki, Finland
JOE LEIGH SIMPSON, Houston, Texas
ANDRÉ VAN STEIRTEGHEM, Brussels, Belgium
MARK W. SURREY, Beverly Hills, California
SHUETU SUZUKI, Tokyo, Japan
BASIL C. TARLATZIS, Thessaloniki, Greece
CHII-RUEY TZENG, Taipei, Taiwan
MARC VAN DEN BERGH, Baden, Switzerland (ALPHA)
LUCINDA L. VEECK, New York, New York
ANNA VEIGA, Barcelona, Spain (ALPHA)
DON PAUL WOLF, Portland, Oregon
RYUZO YANAGIMACHI, Honolulu, Hawaii

DEVELOPMENTAL EDITOR

KHUSHBU MEHTA Chicago, Illinois

CONSULTANTS

LEON BURMEISTER, Iowa City, Iowa (Statistical Evaluation)
LEROY WALTERS, Washington, D.C. (Experimental Design)

JOURNAL OF ASSISTED REPRODUCTION AND GENETICS (ISSN: 1058-0468) is published monthly by Springer, P. O. Box 322, 3300 AH Dordrecht, The Netherlands. Annual subscription price $1044.00. Air freight and mailing by Expediting, Inc., 200 Meacham Avenue, Elmont, N.Y. 11003. Periodicals postage paid at Jamaica, N.Y. 11431. *Journal of Assisted Reproduction and Genetics* is abstracted or indexed in Biological Abstracts, CAB Abstracts, Current Contents/Clinical Medicine, EMBASE/Excerpta Medica, Index Medicus/MEDLINE, Medical Documentation Service, Science Citation Index Expanded, SCOPUS, and The ISI Alerting Services. Advertising inquiries should be addressed to Springer, Advertising Dept., 233 Spring St., New York N.Y. 10013—tel:(212) 460-1572; fax:(212) 647-1898; e-mail: advertising@springer-sbm.com © 2004 Springer Science+Business Media, Inc. No part of this work may be reproduced, stored in a retrieval system, or transmitted in any form or by any means, electronic, mechanical, photocopying, microfilming, recording, or otherwise, without written permission from the Publisher, with the exception of any material supplied specifically for the purpose of being entered and executed on a computer system, for exclusive use by the purchaser of the work. *Journal of Assisted Reproduction and Genetics* participates in the Copyright Clearance Center (CCC) Transactional Reporting Service. The appearance of a code line at the bottom of the first page of an article in this journal indicates the copyright owner's consent that copies of the article may be made for personal or internal use. However, this consent is given on the condition that the copier pay a flat fee per copy per article (no additional per-page fees) directly to the Copyright Clearance Center, Inc., 222 Rosewood Drive, Danvers, Massachusetts 01923 (www.copyright.com), for all copying not explicitly permitted by Sections 107 or 108 of the U.S. copyright Law. The CCC is a nonprofit clearinghouse for the payment of photocopying fees by libraries and other users registered with the CCC. Therefore, this consent does not extend to other kinds of copying, such as copying for general distribution, for advertising or promotional purposes, for creating new collective works, or for resale, nor to the reprinting of figures, tables, and text excerpts. 1058-0468/04

Journal of Assisted Reproduction and Genetics

CONTENTS Volume 21, Number 1 January 2004

1 Alpha Page

3 Editorial
N. Gleicher

Regulating Preimplantation Genetic Diagnosis (PGD)

5 Regulations for Preimplantation Genetic Diagnosis in France
M. Plachot and J. Cohen

7 Preimplantation Genetic Diagnosis (PGD) in France
Y. J.R. Menezo, R. Frydman, and N. Frydman

11 What Regulations for Preimplantation Genetic Diagnosis?
D. L. Hill and M. Li

Preimplantation genetic diagnosis of early human embryos is a multistep, multidisciplinary process. Personnel qualifications in interpretation of results go beyond those found in ART clinics.

15 Preimplantation Diagnosis (PGD)—A European Clinician's Point of View
W. Feichtinger

19 Regulating Preimplantation Genetic Diagnosis—How to Control PGD
N. Takeshita and H. Kubo

Journal of Assisted Reproduction and Genetics

CONTENTS Volume 21, Number 2 February 2004

27 Alpha Page

29 Editorial
N. Gleicher

Andrology

31 The Difficult MESA: Findings From Tubuli Recti Sperm Aspiration
U. Zenke, L. Jalalian, S. Shen, and P. J. Turek

During difficult microsurgical epididymal sperm aspiration (MESA) procedures, sperm from the tubuli recti may provide an excellent alternative to testis sperm extraction.

Assisted Reproduction

37 Comparison of Basal and Clomiphene Citrate Induced FSH and Inhibin B, Ovarian Volume and Antral Follicle Counts as Ovarian Reserve Tests and Predictors of Poor Ovarian Response in IVF
M. Erdem, A. Erdem, R. Gursoy, and K. Biberoglu

Clomiphene citrate challenge test (CCCT) and ovarian volume measurement are better then other hormonal and ultrasonographic tests in predicting the response to ovarian stimulation in IVF cycles.

47 Cumulative Embryo Score, Not Endometrial Thickness, Is Best for Pregnancy Prediction in IVF
C. Laasch and E. Puscheck

Cumulative embryo score alone, and not combined with endometrial thickness, is a statistically significant predictor of pregnancy in IVF.

Short Communications

51 Longevity of Donor Serum
J. E. Graves, H. L. Higdon III, J. E. Johnson, D. W. Blackhurst, and W. R. Boone

55 Embryonic Chromosomal Abnormalities Obtained After Rescue Intracytoplasmic Sperm Injection of 1-Day-Old Unfertilized Oocytes
T. Pehlivan, C. Rubio, A. Ruiz, J. Navarro, J. Remohí, A. Pellicer, and C. Simón

Case Report

59 Successful Spouse Pregnancy of Male Patients with Severe Apalstic Anemia and Chronic Myelogenous Leukemia Using Spermatozoa Banked Prior to Bone Marrow Transplantation and Using the ICSI Procedure: *Case Reports*
S. W. Cho, S. H. Lee, M. K. Chung, H. A. Kim, H. M. Chung, Y. J. Lee, H. Kwon, T. K. Yoon, and K. Y. Cha

The cover photo is from "Embryonic Chromosomal Abnormalities Obtained After Rescue Intracytoplasmic Sperm Injection of 1-Day-Old Unfertilized Oocytes" by Pehlivan et al.

Journal of Assisted Reproduction and Genetics

CONTENTS Volume 21, Number 3 March 2004

63 Alpha Page

Assisted Reproduction

65 Use of Stimulated Serum Estradiol Measurements for the Prediction of Hyperresponse to Ovarian Stimulation in Vitro Fertilization (IVF)
D. J. Hendriks, E. R. Klinkert, L.F. J. M.M. Bancsi, C. W. N. Looman, J. D. F. Habbema, E. R. te Velde, and F. J. Broekmans
Estradiol levels measured early in the course of IVF stimulation are not predictive for the occurrence of ovarian hyperresponse.

73 Mean Ovarian Diameter (MOD) as a Predictor of Poor Ovarian Response
I. K. Vladimirov, D. M. Tacheva, and K. B. Kalinov
Mean ovarian diameter, measured in the largest sagital plane of the ovary, provides good prognostic information for poor ovarian response in in vitro fertilization (IVF).

Opinion

79 Why Do Older Women Have Poor Implantation Rates? A Possible Role of the Mitochondria
A. K. Bartmann, G. S. Romão, E. da Silveira Ramos, and R. A. Ferriani
Mutations in mitochondrial DNA may be responsible for poor implantation and aneuploidy in older women.

Short Communication

85 Birth Weight Discordance in Spontaneous Versus Induced Twins: Impact on Perinatal Outcome
J. Zádori, Z. Kozinszky, H. Orvos, M. Katona, S. G. Kaáli, and A. Pál

Case Reports

89 Pregnancy and Delivery After Stimulation with rFSH of a Galatosemia Patient Suffering Hypergonadotropic Hypogonadism: Case Report
Y. J. R. Menezo, M. Lescaille, B. Nicollet, and E. J. Servy

91 Testicular Sperm Extraction (TESE) and Intracytoplasmic Sperm Injection (ICSI) in Hypogonadotropic Hypogonadism with Persistent Azoospermia After Hormonal Therapy
M. Meseguer, N. Garrido, J. Remohí, A. Pellicer, and M. Gil-Salom

Journal of Assisted Reproduction and Genetics

CONTENTS Volume 21, Number 4 April 2004

95 Alpha Page

Physiology

97 Human Cervical Mucus Can Act *in Vitro* as a Selective Barrier Against Spermatozoa Carrying Fragmented DNA and Chromatin Structural Abnormalities
P.G. Bianchi, A. De Agostini, J. Fournier, C. Guidetti, N. Tarozzi, D. Bizzaro, and G.C. Manicardi
Spermatozoa possessing high levels of DNA protamination and low levels of DNA damage are more proficient in crossing the human cervical mucus barrier.

Assisted Reproduction

103 Monozygotic Twins and Triplets in Association with Blastocyst Transfer
J.K. Jain, R. Boostanfar, C.C. Slater, M.M. Francis, and R.J. Paulson
Blastocyst transfer was associated with a significantly higher rate of monozygotic twins when compared to day-3 embryo transfer.

Male Infertility

109 Parameters Affecting the Results in a Program of Artificial Insemination With Donor Sperm: A 12-Year Retrospective Review of More Than 1800 Cycles
J.L. Zuzuarregui, M. Meseguer, N. Garrido, C. Simón, A. Pellicer, and J. Remohí
In artificial donor insemination, being under the age of 35, having a smooth ovarian stimulation and a total number of progressive motile sperm and inseminating greater than 5 million on two consecutive days improves results.

119 DNA Fragmentation, Mitochondrial Dysfunction and Chromosomal Aneuploidy in the Spermatozoa of Oligoasthenoteratozoospermic Males
C.-H. Liu, H.-M. Tsao, T.-C. Cheng, H.-M. Wu, C.-C. Huang, C.-I. Chen, D.P.-C. Lin, and M.-S. Lee
Spermatozoa from oligoathenoteratozoospermic patients contain higher rates of DNA fragmentation, mitochondrial dysfunction and chromosomal aneuploidy.

Opinion

127 A Proposal to Change the Method for Determining the Outcome According to the SART Statistic—Pregnancy Rate per Retrieval
J.H. Check
A new method of interpreting the chance of pregnancy per oocyte retrieval is described that does not penalize in vitro fertilization centers that emphasize cryopreservation of embryos.

Short Communication

129 Isolation and Expression Analysis of the Testis-Specific Gene, Human *OPPO1*
T. Miyamoto, K. Sengoku, H. Hayashi, Y. Sasaki, N. Takuma, T. Yamashita, and M. Ishikawa

Journal of Assisted Reproduction and Genetics

CONTENTS Volume 21, Number 5 May 2004

135 Alpha Page

Andrology

137 Vitality of Oligozoospermic Semen Samples is Improved by Both Swim-Up and Density Gradient Centrifugation Before Cryopreservation
M. Counsel, R. Bellinge and P. Burton
Post-thaw vitality in oligozoospermic semen samples was improved by both swim-up and density gradient centrifugation prior to freezing.

143 Impact of Semen Characteristics on the Success of Intrauterine Insemination
Y. Zhao, N. Vlahos, D. Wyncott, C. Petrella, J. Garcia, H. Zacur and E. E. Wallach
Sperm motility before density gradient separation and sperm forward progression after density gradient separation are associated with IUI success rate.

Assisted Reproductive Technology

149 Low-Level Gonosomal Mosaicism in Women Undergoing ICSI Cycles
R. Voigt, A. K. Schröder, F. Hinrichs, K. Diedrich, E. Schwinger and M. Ludwig
The incidence of low-level gonosomal mosaicism in women undergoing ICSI is not increased and its presence does not have an influence on the treatment outcome of ICSI.

157 Reproductive Performance of Couples Discordant for Hepatitis B and C Following IVF Treatment
I. R. Pirwany, S. Phillips, S. Kelly, W. Buckett and S. L. Tan
Hepatitis B and C discordant couples have poor implantation and pregnancy rates following IVF treatment, compared with age and diagnosis matched controls, despite comparable response to COH.

163 Feasibility of Human Telomerase Reverse Transcriptase mRNA Expression in Individual Blastomeres as an Indicator of Early Embryo Development
C.-W. Wang, D.-S. Yao, S.-G. Horng, H.-C. Chiu, C.-K. Chen, C.-L. Lee, H.-Y. Huang, H.-S. Wang, Y.-K. Soong, and C. C. Pao
Although the difference in the detection of general hTCS mRNA transcripts in individual blastmeres is significant in statistics, the application is not feasible in clinical practice.

169 The Effect of a Two-hour, Room Temperature Incubation of Human Spermatozoa in TEST-Yolk Buffer on the Rate of Fertilization in Vitro
J. R. Jensen, J. H. Walker, A. A. Milki, L. Westphal, and B. Behr
We report that semen incubated in TEST-yolk buffer for 2 hours at room temperature, before density gradient separation generates higher 2PN fertilization than without TEST-yolk buffer pre-incubation.

New Technology

175 Tissue Perfusion Essential for Spermatogenesis and Outcome of Testicular Sperm Extraction (TESE) for Assisted Reproduction
R. Herwig, K. Tosun, G.-M. Pinggera, E. Soelder, K.T. Moeller, L. Pallwein, F. Frauscher, G. Bartsch, L. Wildt, and K. Illmensee
Testicular perfusion predicts sperm quality.

Case Report

181 Bilateral Ovarian Pregnancy After in Vitro Fertilization and Embryo Transfer in a Patient with Tubal Factor Infertility
M. Han, J. Kim, H. Kim, G. Je and T. Hwang

Journal of Assisted Reproduction and Genetics

CONTENTS Volume 21, Number 6 June 2004

185 Alpha Page

Physiology

187 Expression of Integrin Fraction and Adhesion Molecules on Human Granulosa Cells and Its Relation with Oocyte Maturity and Follicular Steroidogenesis
A. Clavero, J. A. Castilla, L. Martinez, N. Mendoza, J. Fontes, and V. Maldonado
The expression pattern for integrin fractions and adhesion molecules on granulosa cells may be of predictive value in integrin the differentiation of the human follicle.

Assisted Reproduction

197 Comparison of Clinical Outcome and Costs with CC + Gonadotropins and GnRHa + Gonadotropins During IVF/ICSI Cycles
P. Kovacs, S. Matyas, A. Bernard, and S. G. Kaali
During IVF/ICSI, stimulation with GnRHa + gonadotropins is clinically more effective and costs less than stimulation with CC + gonadotropins.

203 Improved Outcome of Frozen-Thawed Blastocyst Transfer with Menezo's two-step Thawing Compared to the Stepwise Thawing Protocol
J. Ding, M. Pry, N. Rana, and W. P. Dmowski
Menezo's two-step thawing method greatly improved the implantation and pregnancy rates after frozen embryo transfer when blastocysts were cryopreserved with Menezo's two-step slow-freezing technique.

211 Impact of Body Mass Index on In Vitro Fertilization Outcomes
J. L. Frattarelli and C. L. Kodama
An elevated BMI correlates positively with the number of follicles, days of stimulation and number of ampules of gonadotropins used in an IVF Cycle.

Andrology

217 Reduced Senescence and Retained Nuclear DNA Integrity in Human Spermatozoa Prepared by Density Gradient Centrifugation
J. M. Morrell, O. Moffatt, D. Sakkas, G. C. Manicardi, D. Bizzaro, M. Tomlinson, H. Nilsson, and P. V. Holmes
PureSperm® density gradient preparation of human spermatozoa reduces sperm senescence and retains sperm nuclear DNA integrity, thereby potentially prolonging sperm fertilising ability in ART.

Animal Experimentation

223 Coculture with a Human Granulosa Cell Line Enhanced the Development of Murine Preimplantation Embryos Via SCF/c-Kit System
F. Taniguchi, T. Harada, M. Nara, I. Deura, M. Mitsunari, and N. Terakawa
KGN cells may facilitate preimplantion embryo development through SCF/c-kit paracrine system.

Short Communication

229 Spontaneous Pregnancies in a Turner Syndrome Woman with Y-Chromosome Mosaicism
K. Landin-Wilhelmsen, I. Bryman, C. Hanson, and L. Hanson

Journal of Assisted Reproduction and Genetics

CONTENTS Volume 21, Number 7 July 2004

231 Alpha Page

Animal Experimentation

233 Comparison of Maturation, Fertilization, Development, and Gene Expression of Mouse Oocytes Grown In Vitro and In Vivo
D.-H. Kim, D.-S. Ko, H.-C. Lee, H.-J. Lee, W.-H. Park, S. S. Kim, J.-K. Park, B.-C. Yang, S.-B. Park, W.-K Chang, and H.-T. Lee
The differences of maturation, fertilization, development, and maternal gene expression of in vitro- and in vivo-grown mouse oocytes were examined.

Physiology

241 The Presence of Cytokines and Growth Factors in Hydrosalpingeal Fluid
A. Strandell, Jane Thorburn, and A. Wallin
The analyzed cytokines were abundantly present in hydrosalpingeal fluid compared with follicular fluid and serum, suggesting an increased expression from the tubal epithelium.

Assisted Reproduction

249 Association of Inhibin B Serum Levels with Parameters of Follicular Response in a Randomized Controlled Trial Comparing GnRH Agonist Versus Antagonist Protocols for Ovarian Hyperstimulation
B. Sonntag, L. Kiesel, E. Nieschlag, and H. M. Behre
Early follicular phase Inhibin B serum levels correlate with follicular response in ART cycles applying the long GnRH agonist, but not GnRH antagonist protocol.

257 The Practical Implications of a Raised Serum FSH and Age on the Risk of IVF Treatment Cancellation Due to a Poor Ovarian Response
V. A. Akande, S. D. Keay, L. P. Hunt, R. S. Mathur, J. M. Jenkins, and D. J. Cahill
Age and FSH serve as valuable indicators of IVF treatment cancellation. However, among older women, FSH has particular importance, while less so in younger women.

263 Does Seasonality Alter Intrauterine Insemination Outcomes: A 5-Year Study
J. G. Proctor, D. W. Blackhurst, and W. R. Boone
While seasonality alters sperm motility parameters and these changes are not significant enough morphology, to alter pregnancy rates.

271 Selection of Embryos for Day-3 Transfer at the Pronuclear-Stage and Pronuclear-Stage Cryopreservation Results in High Delivery Rates in Fresh and Frozen Cycles
D. G. Hammitt, C. A. Sattler, M. L. Manes, and A. P. Singh
Selection of transfer embryos on day one and pronuclear-stage cryopreservation results in high fresh and frozen delivery rates and optimizes deliveries per retrieval.

Short Communication

279 FSH Time-Concentration Profiles Before and After Administration of 0.25 mg Cetrorelix in the GnRH-Antagonist Multiple-Dose Protocol for Ovarian Hyperstimulation
G. Griesinger, A. Alisch, D. Finas, K. Roiha, A. Schultze-Mosgau, A. K. Schröder, K. Dafopoulos, K. Diedrich, and R. Felberbaum

Journal of Assisted Reproduction and Genetics

CONTENTS Volume 21, Number 8 August 2004

283 Alpha Page

Assisted Reproductive Technology

285 Significance of Increased Endometrial Thickness in Assisted Reproduction Technology Treatments
R. Yoeli, J. Ashkenazi, R. Orvieto, M. Shelef, B. Kaplan, and I. Bar-Hava
Increased endometrial thickness (>14 mm) is not associated with decreased implantation or pregnancy rates in assisted reproduction.

291 Prospective Randomized Comparison of Two Embryo Culture Systems: P1 Medium by Irvine Scientific and the Cook IVF Medium
D. Ben-Yosef, A. Amit, F. Azem, T. Schwartz, T. Cohen, N. Mei-Raz, A. Carmon, J. B. Lessing, Y. Yaron
A comparison of two IVF culture media revealed that P1 Medium may be associated with a higher embryo cleavage rate and improved implantation rates than to the Cook IVF Medium.

297 Exposure of Preimplantation Embryos to Platelet-Activating Factor Increases Birth Rate
W. E. Roudebush, J. B. Massey, H. I. Kort, C. W. Elsner, A. A. Toledo, D. Mitchell-Leef, and D. B. Shapiro
Platelet-activating factor (PAF) enhances live birth rates.

Physiology

301 In Vitro Effect of Cyclic Adenosine 3′, 5′-Monophosphate (cAMP) on Early Human Ovarian Follicles
P. Zhang, H. Louhio, T. Tuuri, J. Sjöberg, J. Hreinsson, E. E. Telfer, and O. Hovatta
Human ovarian follicles within cortical slices cultured with 8-bromo-cAMP showed promoted folliculogenesis and better follicle survival.

Short Communications

307 Freezing of Human Immature Oocytes Using Cryoloops with Taxol in the Vitrification Solution
K. Fuchinoue, N. Fukunaga, S. Chiba, Y. Nakajo, A. Yagi, and K. Kyono

311 *In Vitro* Fertilization in Patients with Ovarian Endometrioma
R. M. dos Reis, I. L. A. Corrêa, A. Gonçalves De Ângelo, L. A. Manetta, M. D. de Moura, and R. A. Ferriani

Journal of Assisted Reproduction and Genetics

CONTENTS Volume 21, Number 9 September 2004

315 Alpha Page

Assisted Reproduction

317 GnRH Antagonist Improved Blastocyst Quality and Pregnancy Outcome After Multiple Failures of IVF/ICSI–ET with a GnRH Agonist Protocol
K. Takahashi, T. Mukaida, T. Tomiyama, T. Goto, and C. Oka
GnRH antagonist protocol is effective for improvement of blastocyst quality and pregnancy outcome in patients with multiple failures of IVF/ICSI-ET with GnRH agonist.

323 A Comparison of Psychological Functioning in Couples Undergoing Frozen–Thawed Embryo Replacement in Various Stages of Treatment Using the Mean Affect Adjective Check List (MAACL)
W. A. Ismail, M. Q. Menezes, C. W. Martin, and K. J. Thong
In a comparative study between different stages of frozen embryo replacement cycles, couples are vulnerable to psychological dysfunction while undergoing treatment.

329 Effects of Activation Timing on the Fertilization Rate and Early Embryo Development in Porcine ROSI Procedure
J. Y. Choi, E. Y. Lee, H. T. Cheong, B. K. Yoon, D. S. Bae, and D. S. Choi
This study evaluates the activation timing in porcine ROSI.

335 Total Cytoplasmic Volume as Biomarker of Fragmentation in Human Embryos
C. Hnida and S. Ziebe
Quantification of the cytoplasmic reduction from the zygote to the embryo stage may allow a more precise and standardized fragmentation assessment than by traditional fragmentation evaluation.

Case Reports

341 Occurrence of Nonpersistent Hematospermia After a Prolonged Period of Daily Ejaculatory Intensity Longer Than 3 Weeks
J. R. Correa-Pérez

343 Successful Outcome of Intrathoracic Injection of Autologous Amniotic Fluid in Fetal Reduction: Report of Two Cases
S.-G. Horng, C.-W. Wang, H.-Y. Huang, and Y.-K. Soong

Journal of Assisted Reproduction and Genetics

CONTENTS Volume 21, Number 10 October 2004

347 Alpha Page

Assisted Reproduction

349 Visualization and Examination of the Meiotic Spindle in Human Oocytes with Polscope
J. Konc, K. Kanyó, and S. Cseh

The spindle view technique assists oocyte selection and monitoring the position of meiotic spindle during ICSI; thus, the outcome of IVF/ICSI–ET cycles may be increased.

355 The Efficacy of Test Tube Warming Devices Used During Oocyte Retrieval for IVF
Q. S. Y. Yeung, C. M. Briton-Jones, G. C. C. Tjer, T. T. Y. Chiu, and C. Haines

Test tube warming devices used during oocyte retrieval for IVF differ in their ability to maintain a constant temperature.

Endocrinology

361 Serum Leptin Elevation in Obese Women with PCOS: A Continuing Controversy
H. A. Saleh, M. A. El-Nwaem, M. M. El-Bordiny, H. M. E.-S. Maqlad, A. A. El-Mohandes, and E. M. Eldaqaq

The elevated serum leptin levels in obese women with PCOS are fully accounted for by BMI, and hyperinsulinemia.

Case Reports

367 Cryopreserved Sibling Oocytes and Intracytoplasmic Sperm Injection Rescue Unexpectedly Poor Fertilization in Conventional In Vitro Fertilization
S-U. Chen, Y-R. Lien, L.-J. Chang, Y.-Y. Tsai, H.-N. Ho, and Y-S. Yang

371 Successful Pregnancy and Delivery Following Combined Treatment of In Vitro Maturation (IVM) and Testicular Sperm Extraction (TESE): A Case Report
K. Fuchinoue, Y. Nakajo, A. Yagi, M. Takeda, and K. Kyono

Journal of Assisted Reproduction and Genetics

CONTENTS Volume 21, Number 11 November 2004

Piece of Mind

375 Should Ovarian Tissue Cryopreservation Be Recommended for Cancer Patients?
J. G. Schenker, M. Fatum

Assisted Reproduction

377 The Role of Preparatory Cycles in Ovum Donation Recipients: A Retrospective Study
S. H. Jun, C. Racowsky, J. H. Fox, and M. D. Hornstein

Preparatory cycles in ovum donation recipients do not improve pregnancy outcome in subsequent ovum donation cycles.

381 The Use of an Hydrogen Peroxide Multipurpose Isolator for Inhouse Preparation of Human Embryo Culture Media: A Unique Successful Swiss Randomized Prospective Study
M. J. G. Van den Bergh, A. Siragusa, A. Dubied, P. Vonbach, M. F. Deshe, K. Flügel, S. Ruflin, J. Stutz, K. Teufelberger, A. Kratzer, C. Urech, and M. Hohl

In House media with an hydrogenperoxide Multi Purpose isolator results in a better embryo score but not in a higher pregnancy rate compared to commercial media.

387 Longitudinal Assessment of Ovarian Perifollicular and Endometrial Vascularity by Power Doppler Ultrasound in Pregnant and Non-Pregnant Cycles in the IVF Setting
S. M. Shrestha, M. F. Costello, P. Sjoblom, G. McNally, M. J. Bennett, S. J. Steigrad, and G. J. Hughes

The proportion of large follicles with better vascularity increased with time thoughout the follicular phase in pregnant IVF cycles.

Andrology

397 Modified Isocratic Capillary Electrophoresis Detection of Cell-free DNA in Semen
J. S. Chou, J. D. Jacobson, W. C. Patton, A. King, and P. J. Chan

Cell-free DNA fragments detected in semen were correlated to normal sperm morphology, curvilinear velocity, hyperactivation and fertilizing capacity.

401 Frozen Embryos Generated from Surgically Retrieved Sperm from Azoospermic Men: Are They Clinically Viable?
J. D. M. Nicopoullos, J. W. A. Ramsay, C. Gilling-Smith, and P. A. Almeida

This series demonstrates poorer clinical outcome for frozen cycles using embroyes generated from surgically retrieved sperm from men with azoospermia than those using ejaculated samples.

409 Cytogenetic Analysis of Sperm Nucleous Components of Iranian Normal and Sub-Fertile Individuals Using Zona Free Hamster Oocytes
H. Mozdarani and A. Mohseni.Meybodi

Animal Experimentation

415 Comparative Study of Biological and Technological Characters in Three Generations of Silkworm *Bombyx mori* L. Ameiotic, Parthenogenetically Cloned Lines
H. Greiss, J. Vassilieva, N. Petkov, and Z. Petkov

Successful parthen-cloning method was tested in three generations of eight cloned lines populations, each in two repetitions of 200 individuals.

Journal of Assisted Reproduction and Genetics

CONTENTS Volume 21, Number 12 December 2004

Assisted Reproduction

421 Ultrasound Guidance Is Not Necessary During Easy Embryo Transfers
A. M. V. de Camargo Martins, R. L. R. Baruffi, A. L. Mauri, C. Petersen, J. B. A. Oliveira, P. Contart, A. Pontes, and J. G. Franco Junior

Ultrasound does not benefit the embryo transfer process when previous mock transfer identifies transfer as easy.

427 Monozygotic Twin Birth After the Transfer of a Cleavage Stage Embryo Resulting from a Single Pronucleated Oocyte
D. Dasig, J. Lyon, B. Behr, and A. A. Milki

Laboratories should have a flexible policy offering transfer of embroys resulting from single pronucleated oocytes, especially in situations when these are the only embroys available.

431 Body Mass Index, Follicle-Stimulating Hormone and Their Predictive Value in In Vitro Fertilization
K. Ferlitsch, M. O. Sator, D. M. Gruber, E. Rücklinger, C. J. Gruber, and J. C. Huber

Obesity and elevation of day three follicle-stimulating hormone as indicators of the predictive odds of pregnancy show a variety of alterations in assisted reproduction.

437 A Meta-Analysis of Controlled Studies Comparing Major Malformation Ratesin IVF and ICSI Infants with Naturally Conceived Children
A. A. Rimm, A. C. Katayama, M. Diaz, and K. P. Katayama

This meta-analysis of 19 studies suggests that there is approximately a 29% increased risk of major malformation in ART infants.

Andrology

445 Relationship Between Standard Semen Parameters, Calcium, Cholesterol Contents, and Mitochondrial Activity in Ejaculated Spermatozoa From Fertile and Infertile Males
M. Meseguer, N. Garrido, J. A. Martínez-Conejero, C. Simón, A. Pellicer, and J. Remohí

Intracellular concentrations of Ca^{+2} and concentration of CH in plasma membrane are two important markers of sperm quality due to its direct relationship with sperm morphology and fertility potential.

Physiology

453 Androgen Receptor Trinucleotide Polymorphism in Leiomyoma
Y.-Y. Hsieh, C.-C. Chang, F.-J. Tsai, C.-C. Lin, L.-S. Yeh, and C.-T. Peng

Androgen receptor trinucleotide polymorphism is associated with leiomyoma susceptibility. The 27 CAG repeats are related with higher risk of leiomyoma.

Animal Experimentation

459 Cryopreservation of a Whole Ovary As a Strategy for Restoring Ovarian Function
M. Imhof, G. Hofstetter, H. Bergmeister, M. Rudas, R. Kain, M. Lipovac, and J. Huber

Whole porcine ovaries were obtained by vascular anastomosis and successfully cryopreserved, leading to high survival rates of primordial fallicle